

# EBSCO

## EBSCO Information Services

### Accessibility Conformance Report

#### International Edition

(Based on VPAT® Version 2.5 INT)

**Name of Product/Version:** Stacks

**Report Date:** April 2026

**Product Description:** Stacks is a web-based content management system (CMS) designed to help libraries and organizations create, manage, and enhance their digital research experience. Stacks offers an intuitive, user-friendly platform that allows users of all skill levels to build and maintain their site independently, without the need for external support. The platform integrates seamlessly with library catalogs and e-resources, providing a streamlined, accessible experience for users across devices.

**Contact Information:** [accessibility@stacksdiscovery.com](mailto:accessibility@stacksdiscovery.com)

**Prepared by:** Magic Software, Inc. 1501 Broadway, 28th Floor New York, NY 10036

**Evaluation Methods Used:** This application was tested using the configurations displayed below. The elements were tested against WCAG 2.2 Level AA as published in 2023. The latest version of each browser and screen reader was used throughout testing.

**Assistive technologies used for testing include:**

- Windows 11 + Chrome + NVDA
- Windows 11 + Chrome + JAWS
- MacOS + Safari + Voiceover
- iOS + Safari + Voiceover

The testing involved a combination of manual and automated methods, including the following:

- Keyboard-only navigation
- Color contrast analysis
- Manual html code review using aXe DevTools and ARC Toolkit
- Text spacing using Stylus
- Browser magnification at 200% and reflow at 400%
- Screen-reader output review

**Scope:** This audit covered all pages:

- Login Page
- Landing Page
- Room bookings
- Events
- Databases
- Directory listings
- Collections
- Feeds
- Index pages
- Research guides
- Reserves
- News
- Locations & hours
- Easy Form
- My Account

## Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
<a href="#">Web Content Accessibility Guidelines 2.0</a>	Level A (Yes) Level AA (Yes) Level AAA (No)
<a href="#">Web Content Accessibility Guidelines 2.1</a>	Level A (Yes) Level AA (Yes) Level AAA (No)
<a href="#">Web Content Accessibility Guidelines 2.2</a>	Level A (Yes) Level AA (Yes) Level AAA (No)
<a href="#">Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018</a>	(Yes)
<a href="#">EN 301 549 Accessibility requirements for ICT products and services - V3.1.1(2019-11) AND EN 301 549 Accessibility requirements for ICT products and services - V3.2.1 (2021-03)</a>	(Yes)

## Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.

- **Not Evaluated:** The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

## WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 - Documentation
- Revised Section 508: Chapter 5 - 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 - 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

**Table 1: Success Criteria, Level A**

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>1.1.1 Non-text Content</u></b> (Level A)</p> <p>Also applies to:            EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.1.1(Web)</li> <li>● 10.1.1.1(Non-web document)</li> <li>● 11.1.1.1.1(Open Functionality Software)</li> <li>● 11.1.1.1.2 (Closed Functionality Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501(Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p><b>Supports</b></p>	<p>All non-text content that is presented to the user has the ability to contain a text alternative that serves the equivalent purpose.</p>
<p><b><u>1.2.1 Audio-only and Video-only (Prerecorded)</u></b> (Level A)</p> <p>Also applies to:            EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.2.1(Web)</li> <li>● 10.1.2.1(Non-web document)</li> <li>● 11.1.2.1.1 (Open Functionality Software)</li> <li>● 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501(Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p><b>Not Applicable</b></p>	<p>Stacks does not contain any prerecorded audio-only or video-only content.</p>
<p><b><u>1.2.2 Captions (Prerecorded)</u></b> (Level A)</p> <p>Also applies to:            EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.2.2 (Web)</li> <li>● 10.1.2.2 (Non-web document)</li> <li>● 11.1.2.2 (Open Functionality Software)</li> <li>● 11.1.2.2 (Closed Software)</li> </ul>	<p><b>Not Applicable</b></p>	<p>Stacks does not contain any prerecorded multimedia content requiring captions.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501(Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>		
<p><b><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u></b> (Level A)</p> <p>Also applies to: EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.2.3 (Web)</li> <li>● 10.1.2.3 (Non-web document)</li> <li>● 11.1.2.3.1 (Open Functionality Software)</li> <li>● 11.1.2.3.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501(Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<b>Not Applicable</b>	Stacks does not contain any prerecorded synchronized media or time-based multimedia content.
<p><b><u>1.3.1 Info and Relationships</u></b> (Level A)</p> <p>Also applies to: EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.3.1 (Web)</li> <li>● 10.1.3.1 (Non-web document)</li> <li>● 11.1.3.1.1 (Open Functionality Software)</li> <li>● 11.1.3.1.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501(Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<b>Supports</b>	Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.

Criteria	Conformance Level	Remarks and Explanations
<p><b>1.3.2 Meaningful Sequence</b> (Level A)</p> <p>Also applies to: EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.3.2 (Web)</li> <li>● 10.1.3.2 (Non-web document)</li> <li>● 11.1.3.2.1 (Open Functionality Software)</li> <li>● 11.1.3.2.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p><b>Supports</b></p>	<p>When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.</p>
<p><b>1.3.3 Sensory Characteristics</b> (Level A)</p> <p>Also applies to: EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.3.3 (Web)</li> <li>● 10.1.3.3 (Non-web document)</li> <li>● 11.1.3.3 (Open Functionality Software)</li> <li>● 11.1.3.3 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p><b>Supports</b></p>	<p>Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, size, visual location, orientation, or sound.</p>
<p><b>1.4.1 Use of Color</b> (Level A)</p> <p>Also applies to: EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.4.1 (Web)</li> <li>● 10.1.4.1 (Non-web document)</li> <li>● 11.1.4.1 (Open Functionality Software)</li> <li>● 11.1.4.1 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul>	<p><b>Supports</b></p>	<p>Colour is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.</p>

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 <ul style="list-style-type: none"> <li>● 501(Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>		
<b>1.4.2 Audio Control</b> (Level A) Also applies to: EN 301549 Criteria <ul style="list-style-type: none"> <li>● 9.1.4.2 (Web)</li> <li>● 10.1.4.2 (Non-web document)</li> <li>● 11.1.4.2 (Open Functionality Software)</li> <li>● 11.1.4.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501(Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<b>Supports</b>	Stacks does not contain any audio content that plays automatically.
<b>2.1.1 Keyboard</b> (Level A) Also applies to: EN 301549 Criteria <ul style="list-style-type: none"> <li>● 9.2.1.1(Web)</li> <li>● 10.2.1.1(Non-web document)</li> <li>● 11.2.1.1.1 (Open Functionality Software)</li> <li>● 11.2.1.1.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501(Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<b>Supports</b>	All functionality of the content is operable through a keyboard interface.
<b>2.1.2 No Keyboard Trap</b> (Level A) Also applies to: EN 301549 Criteria <ul style="list-style-type: none"> <li>● 9.2.1.2 (Web)</li> <li>● 10.2.1.2 (Non-web document)</li> <li>● 11.2.1.2 (Open Functionality Software)</li> </ul>	<b>Supports</b>	If keyboard focus can be moved to a component of the page using a keyboard interface, then focus can be moved away from that component using only a keyboard interface, and, if it requires more than unmodified arrow or tab keys or other standard exit methods, the user is advised of the method for moving focus away.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>● 11.2.1.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>		
<p><b>2.1.4 Character Key Shortcuts</b> (Level A 2.1 and 2.2)</p> Also applies to: EN 301549 Criteria <ul style="list-style-type: none"> <li>● 9.2.1.4 (Web)</li> <li>● 10.2.1.4 (Non-web document)</li> <li>● 11.2.1.4.1 (Open Functionality Software)</li> <li>● 11.2.1.4.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 - Does not apply	<b>Not Applicable</b>	Stacks does not contain any character key shortcuts.
<p><b>2.2.1 Timing Adjustable</b> (Level A)</p> Also applies to: EN 301549 Criteria <ul style="list-style-type: none"> <li>● 9.2.2.1 (Web)</li> <li>● 10.2.2.1 (Non-web document)</li> <li>● 11.2.2.1 (Open Functionality Software)</li> <li>● 11.2.2.1 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<b>Support</b>	
<p><b>2.2.2 Pause, Stop, Hide</b> (Level A)</p> Also applies to: EN 301549 Criteria <ul style="list-style-type: none"> <li>● 9.2.2.2 (Web)</li> <li>● 10.2.2.2 (Non-web document)</li> </ul>	<b>Supports</b>	For moving, blinking, scrolling, or auto-updating information, all of the following are true: <ul style="list-style-type: none"> <li>● Moving, blinking, scrolling: For any moving, blinking or scrolling information that (1) starts automatically, (2) lasts more than five seconds, and (3) is presented</li> </ul>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>● 11.2.2.2 (Open Functionality Software)</li> <li>● 11.2.2.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>		<p>in parallel with other content, there is a mechanism for the user to pause, stop, or hide it unless the movement, blinking, or scrolling is part of an activity where it is essential.</p> <ul style="list-style-type: none"> <li>● Auto-updating: For any auto-updating information that (1) starts automatically and (2) is presented in parallel with other content, there is a mechanism for the user to pause, stop, or hide it or to control the frequency of the update unless the auto-updating is part of an activity where it is essential.</li> </ul>
<p><b><u>2.3.1 Three Flashes or Below Threshold</u></b> (Level A)</p> <p>Also applies to: EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.2.3.1 (Web)</li> <li>● 10.2.3.1 (Non-web document)</li> <li>● 11.2.3.1 (Open Functionality Software)</li> <li>● 11.2.3.1 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<b>Supports</b>	
<p><b><u>2.4.1 Bypass Blocks</u></b> (Level A)</p> <p>Also applies to: EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.2.4.1 (Web)</li> <li>● 10.2.4.1 (Non-web document) – Does not apply</li> <li>● 11.2.4.1 (Open Functionality Software) – Does not apply</li> <li>● 11.2.4.1 (Closed Software) – Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508	<b>Supports</b>	A mechanism is available to bypass blocks of content that are repeated on multiple Web pages.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>● 501(Web)(Software) - Does not apply to non-web software</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs) - Does not apply to non-web docs</li> </ul>		
<p><b>2.4.2 Page Titled</b> (Level A)</p> <p>Also applies to: EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.2.4.2 (Web)</li> <li>● 10.2.4.2 (Non-web document)</li> <li>● 11.2.4.2 (Open Functionality Software) - Does not apply</li> <li>● 11.2.4.2 (Closed Software) - Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501(Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<b>Supports</b>	Web pages have titles that describe the topic or purpose.
<p><b>2.4.3 Focus Order</b> (Level A)</p> <p>Also applies to: EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.2.4.3 (Web)</li> <li>● 10.2.4.3 (Non-web document)</li> <li>● 11.2.4.3 (Open Functionality Software)</li> <li>● 11.2.4.3 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501(Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<b>Supports</b>	If a Web page can be navigated sequentially and the navigation sequences affect meaning or operation, focusable components receive focus in an order that preserves meaning and operability.
<p><b>2.4.4 Link Purpose (In Context)</b> (Level A)</p> <p>Also applies to: EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.2.4.4 (Web)</li> </ul>	<b>Supports</b>	The purpose of each link can be determined from the link text alone or from the link text together with its programmatically determined link context, except where

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>● 10.2.4.4 (Non-web document)</li> <li>● 11.2.4.4 (Open Functionality Software)</li> <li>● 11.2.4.4 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501(Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>		the purpose of the link would be ambiguous to users in general.
<p><b><u>2.5.1 Pointer Gestures</u></b> (Level A 2.1 and 2.2)</p> Also applies to: EN 301549 Criteria <ul style="list-style-type: none"> <li>● 9.2.5.1(Web)</li> <li>● 10.2.5.1(Non-web document)</li> <li>● 11.2.5.1(Open Functionality Software)</li> <li>● 11.2.5.1(Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 - Does not apply	<b>Supports</b>	All functionality that requires multipoint or path-based gestures can also be operated with a single pointer without using a path-based gesture, unless such gestures are essential.
<p><b><u>2.5.2 Pointer Cancellation</u></b> (Level A 2.1 and 2.2)</p> Also applies to: EN 301549 Criteria <ul style="list-style-type: none"> <li>● 9.2.5.2 (Web)</li> <li>● 10.2.5.2 (Non-web document)</li> <li>● 11.2.5.2 (Open Functionality Software)</li> <li>● 11.2.5.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 - Does not apply	<b>Supports</b>	For functionality that can be operated using a single pointer, at least one of the following is true: <ul style="list-style-type: none"> <li>● No Down-Event: The down-event of the pointer is not used to execute any part of the function.</li> <li>● Abort or Undo: Completion of the function is on the up-event, and a mechanism is available to abort the function before completion or to undo the function after completion.</li> <li>● Up Reversal: The up-event reverses any outcome of the preceding down-event.</li> <li>● Essential: Completing the function on the down-event is essential.</li> </ul>
<p><b><u>2.5.3 Label in Name</u></b> (Level A 2.1 and 2.2)</p> Also applies to: EN 301549 Criteria <ul style="list-style-type: none"> <li>● 9.2.5.3 (Web)</li> <li>● 10.2.5.3 (Non-web document)</li> </ul>	<b>Supports</b>	For user interface components with labels that include text or images of text, the name contains the text that is presented visually.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>● 11.2.5.3.1 (Open Functionality Software)</li> <li>● 11.2.5.3.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply		
<p><b>2.5.4 Motion Actuation</b> (Level A 2.1 and 2.2)</p> Also applies to: EN 301549 Criteria <ul style="list-style-type: none"> <li>● 9.2.5.4 (Web)</li> <li>● 10.2.5.4 (Non-web document)</li> <li>● 11.2.5.4 (Open Functionality Software)</li> <li>● 11.2.5.4 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	<b>Not Applicable</b>	Stacks does not contain any functionality that can be operated by device motion or user motion.
<p><b>3.1.1 Language of Page</b> (Level A)</p> Also applies to: EN 301549 Criteria <ul style="list-style-type: none"> <li>● 9.3.1.1 (Web)</li> <li>● 10.3.1.1 (Non-web document)</li> <li>● 11.3.1.1.1 (Open Functionality Software)</li> <li>● 11.3.1.1.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501 (Web) Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<b>Supports</b>	The default language of each Web page can be programmatically determined.
<p><b>3.2.1 On Focus</b> (Level A)</p> Also applies to: EN 301549 Criteria <ul style="list-style-type: none"> <li>● 9.3.2.1 (Web)</li> <li>● 10.3.2.1 (Non-web document)</li> <li>● 11.3.2.1 (Open Functionality Software)</li> <li>● 11.3.2.1 (Closed Software)</li> </ul>	<b>Supports</b>	When any user interface component receives focus, it does not initiate a change of context.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501(Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>		
<p><b>3.2.2 On Input</b> (Level A)</p> Also applies to: EN 301549 Criteria <ul style="list-style-type: none"> <li>● 9.3.2.2 (Web)</li> <li>● 10.3.2.2 (Non-web document)</li> <li>● 11.3.2.2 (Open Functionality Software)</li> <li>● 11.3.2.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501(Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<b>Supports</b>	Changing the setting of any user interface component does not automatically cause a change of context unless the user has been advised of the behaviour before using the component.
<p><b>3.2.6 Consistent Help</b> (Level A 2.2 only)</p> EN 301549 Criteria – Does not apply Revised Section 508 – Does not apply	<b>Supports</b>	If a Web page contains any of the help mechanisms, and those mechanisms are repeated on multiple Web pages within a set of Web pages, they occur in the same order relative to other page content, unless a change is initiated by the user.
<p><b>3.3.1 Error Identification</b> (Level A)</p> Also applies to: EN 301549 Criteria <ul style="list-style-type: none"> <li>● 9.3.3.1 (Web)</li> <li>● 10.3.3.1 (Non-web document)</li> <li>● 11.3.3.1.1 (Open Functionality Software)</li> <li>● 11.3.3.1.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501(Web)(Software)</li> </ul>	<b>Supports</b>	If an input error is automatically detected, the item that is in error is identified, and the error is described to the user in text.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>		
<p><b><u>3.3.2 Labels or Instructions</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.3.3.2 (Web)</li> <li>● 10.3.3.2 (Non-web document)</li> <li>● 11.3.3.2 (Open Functionality Software)</li> <li>● 11.3.3.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<b>Supports</b>	Labels or instructions are provided when content requires user input.
<p><b><u>3.3.7 Redundant Entry</u></b> (Level A 2.2 only)</p> <p>EN 301549 Criteria – Does not apply</p> <p>Revised Section 508 – Does not apply</p>	<b>Supports</b>	Users are not required to enter the same information multiple times in a single process. Mechanisms are in place to either auto-populate previously entered data or provide ways to avoid redundant entry.
<p><b><u>4.1.1 Parsing</u></b> (Level A)</p> <p>Applies to:</p> <p>WCAG 2.0 and 2.1 – Always answer ‘Supports’</p> <p>WCAG 2.2 (obsolete and removed) – Does not apply</p> <p>EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.4.1.1 (Web)</li> <li>● 10.4.1.1 (Non-web document)</li> <li>● 11.4.1.1.1 (Open Functionality Software)</li> <li>● 11.4.1.1.2 (Closed Software) – Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<b>Supports</b>	For WCAG 2.0, 2.1, EN 301549, and Revised 508 Standards, the September 2023 errata update indicates this criterion is always supported. See the <a href="#">WCAG 2.0 Editorial Errata</a> and the <a href="#">WCAG 2.1 Editorial Errata</a> .

Criteria	Conformance Level	Remarks and Explanations
<p><b>4.1.2 Name, Role, Value</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.4.1.2 (Web)</li> <li>● 10.4.1.2 (Non-web document)</li> <li>● 11.4.1.2.1 (Open Functionality Software)</li> <li>● 11.4.1.2.2 (Closed Software) – Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<p><b>Supports</b></p>	<p>The name, role, and value of user interface components are provided, supporting accessibility for users.</p>

**Table 2: Success Criteria, Level AA**

Criteria	Conformance Level	Remarks and Explanations
<p><b>1.2.4 Captions (Live)</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.1.2.4 (Web)</li> <li>● 10.1.2.4 (Non-web document)</li> <li>● 11.1.2.4 (Open Functionality Software)</li> <li>● 11.1.2.4 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul>	<p><b>Not Applicable</b></p>	<p>Stacks does not contain live multimedia with audio; therefore, synchronized captions are not required.</p>

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 <ul style="list-style-type: none"> <li>● 501(Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>		
<b>1.2.5 Audio Description (Prerecorded)</b> (Level AA) Also applies to: EN 301549 Criteria <ul style="list-style-type: none"> <li>● 9.1.2.5 (Web)</li> <li>● 10.1.2.5 (Non-web document)</li> <li>● 11.1.2.5 (Open Functionality Software)</li> <li>● 11.1.2.5 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501(Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<b>Not Applicable</b>	Stacks does not contain prerecorded video content; therefore, synchronized audio descriptions are not required.
<b>1.3.4 Orientation</b> (Level AA 2.1 and 2.2) Also applies to: EN 301549 Criteria <ul style="list-style-type: none"> <li>● 9.1.3.4 (Web)</li> <li>● 10.1.3.4 (Non-web document)</li> <li>● 11.1.3.4 (Open Functionality Software)</li> <li>● 11.1.3.4 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 - Does not apply	<b>Supports</b>	Orientation was tested using a desktop browser's responsive mode. Content adapts appropriately in both portrait and landscape views, and no orientation restrictions were identified.
<b>1.3.5 Identify Input Purpose</b> (Level AA 2.1 and 2.2) Also applies to: EN 301549 Criteria <ul style="list-style-type: none"> <li>● 9.1.3.5 (Web)</li> <li>● 10.1.3.5 (Non-web document)</li> <li>● 11.1.3.5.1 (Open Functionality Software)</li> <li>● 11.1.3.5.2 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> </ul>	<b>Supports</b>	The purpose of each input field collecting information about the user can be programmatically determined when: <ul style="list-style-type: none"> <li>● The input field serves a purpose identified in the Input Purposes for User Interface Components section.</li> <li>● The content is implemented using technologies with support for identifying the expected meaning for form input data.</li> </ul>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply		
<p><b>1.4.3 Contrast (Minimum)</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.4.3 (Web)</li> <li>10.1.4.3 (Non-web document)</li> <li>11.1.4.3 (Open Functionality Software)</li> <li>11.1.4.3 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<b>Supports</b>	<p>The visual presentation of text and images of text has a contrast ratio of at least 4.5:1, except for the following:</p> <ul style="list-style-type: none"> <li>Large Text: Large-scale text and images of large-scale text have a contrast ratio of at least 3:1.</li> <li>Incidental: Text or images of text that are part of an inactive user interface component, that are pure decoration, that are not visible to anyone, or that are part of a picture that contains significant other visual content, have no contrast requirement.</li> <li>Logotypes: Text that is part of a logo or brand name has no contrast requirement.</li> </ul>
<p><b>1.4.4 Resize text</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.4.4 (Web)</li> <li>10.1.4.4 (Non-web document)</li> <li>11.1.4.4.1 (Open Functionality Software)</li> <li>11.1.4.4.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<b>Supports</b>	<p>Except for captions and images of text, text can be resized without assistive technology up to 200 percent without loss of content or functionality.</p>
<p><b>1.4.5 Images of Text</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.4.5 (Web)</li> <li>10.1.4.5 (Non-web document)</li> <li>11.1.4.5.1 (Open Functionality Software)</li> </ul> <p>11.1.4.5.2 (Closed Software) – Does not apply</p> <ul style="list-style-type: none"> <li>11.8.2 (Authoring Tool)</li> </ul>	<b>Supports</b>	<p>If the technologies being used can achieve the visual presentation, text is used to convey information rather than images of text, except for the following:</p> <ul style="list-style-type: none"> <li>Customizable: The image of text can be visually customized to the user's requirements.</li> <li>Essential: A particular presentation of text is essential to the information being conveyed.</li> </ul>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>		
<p><b>1.4.10 Reflow</b> (Level AA 2.1 and 2.2)</p> Also applies to: EN 301549 Criteria <ul style="list-style-type: none"> <li>● 9.1.4.10 (Web)</li> <li>● 10.1.4.10 (Non-web document)</li> <li>● 11.1.4.10 (Open Functionality Software)</li> <li>● 11.1.4.10 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	<b>Supports</b>	Content can be presented without loss of information or functionality, and without requiring scrolling in two dimensions when pages are zoomed to 400%.
<p><b>1.4.11 Non-text Contrast</b> (Level AA 2.1 and 2.2)</p> Also applies to: EN 301549 Criteria <ul style="list-style-type: none"> <li>● 9.1.4.11 (Web)</li> <li>● 10.1.4.11 (Non-web document)</li> <li>● 11.1.4.11 (Open Functionality Software)</li> <li>● 11.1.4.11 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 – Does not apply	<b>Partially Supports</b>	There are a few instances where the visual presentation of elements, such as the rating star fails to meet the minimum contrast ratio requirement of 3:1 against its adjacent background.  Stacks is currently working with our vendor to resolve this issue.
<p><b>1.4.12 Text Spacing</b> (Level AA 2.1 and 2.2)</p> Also applies to: EN 301549 Criteria <ul style="list-style-type: none"> <li>● 9.1.4.12 (Web)</li> <li>● 10.1.4.12 (Non-web document)</li> <li>● 11.1.4.12 (Open Functionality Software)</li> <li>● 11.1.4.12 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul>	<b>Supports</b>	In content implemented using markup languages that support the following text style properties, no loss of content or functionality occurs by setting all of the following and by changing no other style property: <ul style="list-style-type: none"> <li>● Line height (line spacing) to at least 1.5 times the font size.</li> <li>● Spacing following paragraphs to at least 2 times the font size.</li> <li>● Letter spacing (tracking) to at least 0.12 times the font size.</li> </ul>

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 – Does not apply		<ul style="list-style-type: none"> <li>Word spacing to at least 0.16 times the font size.</li> </ul>
<p><b>1.4.13 Content on Hover or Focus</b> (Level AA 2.1 and 2.2)</p> <p>Also applies to: EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>9.1.4.13 (Web)</li> <li>10.1.4.13 (Non-web document)</li> <li>11.1.4.13 (Open Functionality Software)</li> <li>11.1.4.13 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508 – Does not apply</p>	<b>Supports</b>	<p>Where receiving and then removing pointer hover or keyboard focus triggers additional content to become visible and then hidden, the following are true:</p> <ul style="list-style-type: none"> <li><b>Dismissable:</b> A mechanism is available to dismiss the additional content without moving the pointer, hovering, or keyboard focus, unless the additional content communicates an input error or does not obscure or replace other content.</li> <li><b>Hoverable:</b> If the pointer hover can trigger the additional content, then the pointer can be moved over the additional content without the additional content disappearing.</li> <li><b>Persistent:</b> The additional content remains visible until the hover or focus trigger is removed, the user dismisses it, or its information is no longer valid.</li> </ul>
<p><b>2.4.5 Multiple Ways</b> (Level AA)</p> <p>Also applies to: EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.4.5 (Web)</li> <li>10.2.4.5 (Non-web document) – Does not apply</li> <li>11.2.4.5 (Open Functionality Software) – Does not apply</li> <li>11.2.4.5 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software) – Does not apply to non-web software</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	<b>Supports</b>	<p>More than one way is available to locate a Web page within a set of Web pages, except where the Web Page is the result of, or a step in, a process.</p>
<p><b>2.4.6 Headings and Labels</b> (Level AA)</p> <p>Also applies to: EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.4.6 (Web)</li> </ul>	<b>Supports</b>	<p>Headings and labels describe the topic or purpose.</p>

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>● 10.2.4.6 (Non-web document)</li> <li>● 11.2.4.6 (Open Functionality Software)</li> <li>● 11.2.4.6 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>		
<p><b>2.4.7 Focus Visible</b> (Level AA)</p> Also applies to: EN 301549 Criteria <ul style="list-style-type: none"> <li>● 9.2.4.7 (Web)</li> <li>● 10.2.4.7 (Non-web document)</li> <li>● 11.2.4.7 (Open Functionality Software)</li> <li>● 11.2.4.7 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<b>Supports</b>	Any keyboard-operable user interface has a mode of operation where the keyboard focus indicator is visible.
<p><b>2.4.11 Focus Not Obscured (Minimum)</b> (Level AA 2.2 only)</p> EN 301549 Criteria - Does not apply Revised Section 508 - Does not apply	<b>Supports</b>	When a user interface component receives keyboard focus, the component is not hidden due to author-created content.
<p><b>2.5.7 Dragging Movements</b> (Level AA 2.2 only)</p> EN 301549 Criteria - Does not apply Revised Section 508 - Does not apply	<b>Supports</b>	All functionality that uses a dragging movement for operation can be achieved by a single pointer without dragging, unless dragging is essential or the functionality is determined by the user agent and not modified by the author.
<p><b>2.5.8 Target Size (Minimum)</b> (Level AA 2.2 only)</p> EN 301549 Criteria - Does not apply Revised Section 508 - Does not apply	<b>Partially Supports</b>	Most target sizes within Stacks are at least 24 x 24 px. However, some controls such as the checkboxes on Easy Form and the slider dots, have smaller target sizes that do not meet the 24 x 24 px minimum.

Criteria	Conformance Level	Remarks and Explanations
		Estimated remediation timeline: Q4 2025
<p><b>3.1.2 Language of Parts</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.3.1.2 (Web)</li> <li>● 10.3.1.2 (Non-web document)</li> <li>● 11.3.1.2 (Open Functionality Software) - Does not apply</li> <li>● 11.3.1.2 (Closed Software) - Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501(Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<b>Supports</b>	The language of each passage or phrase in the content can be programmatically determined except for proper names, technical terms, words of indeterminate language, and words or phrases that have become part of the vernacular of the immediately surrounding text.
<p><b>3.2.3 Consistent Navigation</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.3.2.3 (Web)</li> <li>● 10.3.2.3 (Non-web document) - Does not apply</li> <li>● 11.3.2.3 (Open Functionality Software) - Does not apply</li> <li>● 11.3.2.3 (Closed Software) - Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501(Web)(Software) - Does not apply to non-web software</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs) - Does not apply to non-web docs</li> </ul>	<b>Supports</b>	Navigational mechanisms that are repeated on multiple Web pages within a set of Web pages occur in the same relative order each time they are repeated, unless a change is initiated by the user.
<p><b>3.2.4 Consistent Identification</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.3.2.4 (Web)</li> </ul>	<b>Supports</b>	Components that have the same functionality within a set of Web pages are identified consistently.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>● 10.3.2.4 (Non-web document) – Does not apply</li> <li>● 11.3.2.4 (Open Functionality Software) – Does not apply</li> <li>● 11.3.2.4 (Closed Software) – Does not apply</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software) – Does not apply to non-web software</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>		
<p><b>3.3.3 Error Suggestion</b> (Level AA)</p> <p>Also applies to: EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.3.3.3 (Web)</li> <li>● 10.3.3.3 (Non-web document)</li> <li>● 11.3.3.3 (Open Functionality Software)</li> <li>● 11.3.3.3 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> <li>● 12.2.4 (Support Docs)</li> </ul> <p>Revised Section 508</p> <ul style="list-style-type: none"> <li>● 501 (Web)(Software)</li> <li>● 504.2 (Authoring Tool)</li> <li>● 602.3 (Support Docs)</li> </ul>	<b>Supports</b>	If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would jeopardize the security or purpose of the content.
<p><b>3.3.4 Error Prevention (Legal, Financial, Data)</b> (Level AA)</p> <p>Also applies to: EN 301549 Criteria</p> <ul style="list-style-type: none"> <li>● 9.3.3.4 (Web)</li> <li>● 10.3.3.4 (Non-web document)</li> <li>● 11.3.3.4 (Open Functionality Software)</li> <li>● 11.3.3.4 (Closed Software)</li> <li>● 11.8.2 (Authoring Tool)</li> <li>● 12.1.2 (Product Docs)</li> </ul>	<b>Not Applicable</b>	Stacks does not contain any user action that can cause a legal commitment, financial transaction, test/exam submission, or modification or deletion of user controlled data to occur.

Criteria	Conformance Level	Remarks and Explanations
<ul style="list-style-type: none"> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>		
<b>3.3.8 Accessible Authentication (Minimum)</b> (Level AA 2.2 only) EN 301549 Criteria - Does not apply Revised Section 508 - Does not apply	<b>Supports</b>	The system provides accessible authentication mechanisms that do not rely on cognitive function tests, ensuring that users can log in and authenticate without the need for memorization, transcribing, or performing calculations.
<b>4.1.3 Status Messages</b> (Level AA 2.1 and 2.2) Also applies to: EN 301549 Criteria <ul style="list-style-type: none"> <li>9.4.1.3 (Web)</li> <li>10.4.1.3 (Non-web document)</li> <li>11.4.1.3 (Open Functionality Software)</li> <li>11.4.1.3 (Closed Software) - Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> Revised Section 508 - Does not apply	<b>Supports</b>	In content implemented using markup languages, status messages can be programmatically determined through role or properties, such that they can be presented to the user by assistive technologies without receiving focus.

### Table 3: Success Criteria, Level AAA

Notes: This table was removed as it is not applicable to this project.

### Revised Section 508 Report

Notes: The tables for Chapters 4, 5, and 6 have been removed as they are not applicable to this project.

### Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	<b>Supports</b>	
302.2 With Limited Vision	<b>Supports</b>	

<b>Criteria</b>	<b>Conformance Level</b>	<b>Remarks and Explanations</b>
302.3 Without Perception of Color	<b>Supports</b>	
302.4 Without Hearing	<b>Supports</b>	
302.5 With Limited Hearing	<b>Supports</b>	
302.6 Without Speech	<b>Supports</b>	
302.7 With Limited Manipulation	<b>Supports</b>	
302.8 With Limited Reach and Strength	<b>Supports</b>	
302.9 With Limited Language, Cognitive, and Learning Abilities	<b>Supports</b>	

## EN 301 549 Report

Notes: The tables for Chapters 5 through 8 and 10 through 13 have been removed as they are not applicable to this project.

### Chapter 4: [Functional Performance Statements \(FPS\)](#)

<b>Criteria</b>	<b>Conformance Level</b>	<b>Remarks and Explanations</b>
4.2.1 Usage without vision	<b>Supports</b>	
4.2.2 Usage with limited vision	<b>Supports</b>	
4.2.3 Usage without perception of colour	<b>Supports</b>	
4.2.4 Usage without hearing	<b>Supports</b>	
4.2.5 Usage with limited hearing	<b>Supports</b>	
4.2.6 Usage with no or limited vocal capability	<b>Supports</b>	
4.2.7 Usage with limited manipulation or strength	<b>Supports</b>	
4.2.8 Usage with limited reach	<b>Supports</b>	
4.2.9 Minimize photosensitive seizure triggers	<b>Supports</b>	

4.2.10 Usage with limited cognition, language, or learning	<b>Supports</b>	
4.2.11 Privacy	<b>Supports</b>	

**Chapter 9: Web** (see [WCAG 2.x Report](#))

**Legal Disclaimer (EBSCO Information Services) © 2026.**

EBSCO Publishing, Inc. ("EBSCO"). All rights reserved. All product and company names herein may be trademarks of their respective owners. The information and content in this document is provided for informational purposes only and is delivered "as is" without warranties of any kind, expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose, and noninfringement.

EBSCO disclaims and in no event shall be liable for any losses or damages of any kind, including any consequential damages that may result from the use of this document. Though reasonable effort has been made to ensure the accuracy of the data provided, EBSCO makes no warranty for the completeness, accuracy, recency, or adequacy of information contained in this document and is not responsible for misprints, out-of-date information, or errors. EBSCO may make changes to the information in this document or to the products described herein at any time without notice. If you believe there are any factual errors in this document, please contact us, and we will review your concerns as soon as possible.